

Objective: The chart outlines the basic properties found in standard NEODOL Ethoxylate grades.

NEODOL Ethoxylates Typical Properties

Product Name	45-4	45-6.8	45-7	135-3	135-7	135-9
Available from	EU	US	EU	US	US	US
EO/alcohol ratio, mol/mol	4.0	6.85	7.4	2.9	7.0	9.0
Molecular Weight, g/m	398	523	546	335	516	606
Hydroxyl Number, mg KOH/g	141	108	103	167	109	93
HLB No.	8.9	11.5	11.8	7.6	12.0	13.1
Flash Point, PMCC °C (ASTM D-93) °F	179 354	185 365	190 374	154 310	190 374	193 379
Pour Point °C (ASTM D-97) °F	13 55	22 72	24 75	6 43	21 70	27 81
Cloud Point, (1%) °C		45	45		46	75
Viscosity, cSt@40 °C	23	33	35	17	29	37
Density, kg/l@40 °C	0.926	0.966	0.969	0.911	0.966	0.985

Contact us: Our website www.shell.com/chemicals/NEODOL is always open and provides technical data as well as telephone numbers to our international customer care centres.

The expression "Shell Chemicals" refers to the companies of the Shell Group engaged in chemical businesses. Each of the companies which make up the Shell Group of companies is an independent entity and has its own separate identity.

NEODOL is a registered trademark of the Shell Group.

Updated June 2006



Shell Chemicals