

# Viscosity of NEODOL™ ethoxylates

## Viscosity of NEODOL ethoxylates as a function of temperature

The viscosity of a neat non-ionic surfactant is an indication of its ease of pumping. In general, the lower the viscosity at a given temperature, the easier it is to pump. Many non-ionics require moderate heating to reduce the viscosity to a level that is readily pumpable under practical conditions. Figures 1 - 4 show the decrease in viscosity with increasing temperature for four of the NEODOL ethoxylate product lines.

Figure 1

## Viscosity of NEODOL 91 Ethoxylates as a function of temperature




Figure 2

## Viscosity of NEODOL 23 Ethoxylates as a function of temperature




Figure 3

Viscosity of NEODOL 45-7 as a function of temperature





Figure 4

Viscosity of NEODOL 25 Ethoxylates as a function of temperature



## Aqueous solutions of NEODOL ethoxylates at room temperature

At room temperature, most non-ionic surfactants form a gel with the addition of water. The table below lists the viscosities of NEODOL ethoxylates at various concentrations in water. This information indicates the ease of formulating with, and handling of, the respective non-ionic surfactant solutions. Since NEODOL 91-6 does not form a gel in water at room temperature, its solutions are normally pumpable fluids at all surfactant concentrations.

### Viscosity of aqueous NEODOL ethoxylate solutions (in Centipoise at 22 °C)

Concentration %m/m in water	10	20	30	40	50	60	80
NEODOL 91-6	3	13	63	173	187	144	80
NEODOL 91-8	2	6	29	138	Gel	Gel	120
NEODOL 1-9	2	6	26	245	Gel	Gel	104
NEODOL 23-6.5	27	431	1620	Gel	Gel	37000 (a)	Gel
NEODOL 25-7(b)			960	Gel	Gel	Gel	Gel
NEODOL 25-9(b)			70	Gel	Gel	Gel	Gel
NEODOL 25-12(b)			71	Gel	Gel	Gel	Gel
NEODOL 45-7			2530	Gel	Gel	Gel	Gel

(a) Fluid gel, by examination with polarised light

(b) Viscosity measured at 25 °C

NEODOL is a trademark of the Shell group of Companies



## Shell Chemicals

Shell Chemical LP

PO Box 4407

Houston

Texas 77210

USA

Tel +1 866 897 4355

Internet <http://www.shell.com/chemicals>

### Disclaimer

The information contained in this publication is, to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.

### Shell Chemicals

The expression "Shell Chemicals" refers to the companies of the Shell Group of companies that are engaged in the chemical s businesses. Each of the companies that make up the Shell Group of companies is an independent entity and has its own separate identity.